ENAMELED COPPER CLAD ALUMINUM WIRE

ENAMELED COPPER CLAD ALUMINUM WIRE

Enameled copper-clad aluminum wire has good electrical conductivity and straight welding performance, suitable for high frequency and high temperature environment.





LP Industry has experienced team for enameled Wires, advanced technology, excellent equipment strict managementis the foundation of the company continuous development and expansion, and the Enameled Wires win the trust of customers. We believe that through our continuous efforts and pursuit , we will be able to achieve mutual benefit and win-win with our customers!

Enameled copper clad aluminum wire

| Conductor | CCA |
|----------------------|---|
| Dimension | 0.19-4.0 mm |
| Insulation thickness | Single,Heavy |
| Certificate | UL |
| Standard | SGS RoHs ISO |
| Packing | PT-25, PT-30, PT-60, 30/50kg wooden pallets, or as per customer's requirement. |
| Application | High temperature sealed motors, transformers, modern instrumentation, generators, welding machines. |

COPPER CLAD ALUMINUM COATING PROCESS





LP Characteristics of enameled copper-clad

Lightweight: Since aluminum is lighter than copper, the use of CCA wire can reduce the weight of the wire, which is a great advantage for some occasions that require long-distance transmission.

Good conductivity: Although the conductivity of copper is better than that of aluminum, but because the surface of CCA wire is covered with a layer of copper, its conductivity is significantly improved compared with pure aluminum which low wire, can meet some requirements of transmission occasions.

Strong corrosion resistance: Because the surface of aluminum is easy to be oxidized, so the use of CCA wire will be coated with a layer of copper on the surface of the aluminum core, which not only improves its conductivity, but also plays a certain role in corrosion prevention, and improves the service life of the wire.

CCA wire has a cheap, lightweight, good electrical conductivity and corrosion resistance, etc., suitable for some low-demand transmission occasions. However, due to its large resistivity, it can not completely replace the use of pure copper wire.





Zhengzhou LP Industry CO.,LTD Email:lpsales@cnlp.cc Tel: 0086-371-65861281 Whatsapp/Mobile:0086-18103865695 Website:www.lp-industry.com Address:#4 building One Belt One Road Industry, Jinshui District, Zhengzhou, China

Welcome to enquiry LP Industry Enameled copper clad aluminum wire

